

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the subject application:

**Listing of Claims:**

1. (Currently amended): A method for transmitting a data block over a network from a first sending node to a first set of recipient nodes, comprising the steps of:

in the first sending node:

dividing the first set of recipient nodes into a subset of selected nodes, selected according to scoring criteria associated with each recipient node, and a subset of unselected nodes;

assigning at least one of the unselected nodes to at least one selected node according to scoring criteria associated with the respective selected nodes;

transmitting to each selected node a packet having comprising a payload including the data block and a first list of the nodes assigned to the at least one selected node, the list dynamically associating the at least one selected node with the unselected nodes for the transmission of the data block to the unselected nodes;

in at least one selected node:

receiving the packet comprising a payload including the data block and a list of assigned nodes;

dividing the list of assigned nodes into a subset of selected assigned nodes,  
selected according to scoring criteria associated with each assigned  
node, and a subset of unselected assigned nodes;  
reassigning at least one of the unselected assigned nodes to at least one  
selected assigned node according to the scoring criteria associated  
with the respective selected assigned nodes; and  
transmitting to each selected assigned node a reassigned packet  
comprising a payload including the data block and a list of the  
nodes reassigned to the selected assigned node.

2. (Original): The method of claim 1, wherein each unselected node is assigned to at least one selected node.
3. (Original): The method of claim 1, wherein the scoring criteria for at least one recipient node includes the effective bandwidth of that node.
4. (Original): The method of claim 1, wherein the scoring criteria for at least one recipient node includes the latency between the first sending node and that recipient node.
5. (Original): The method of claim 1, wherein the scoring criteria for at least one recipient node includes the amount of time since a packet from that recipient node was received by the first sending node.

6. (Original): The method of claim 1, wherein the data block contains audio data.
7. (Original): The method of claim 1, wherein the data block contains video data.
8. (Original): The method of claim 2, wherein each unselected node is assigned to only one selected node.
9. (Currently amended): A method for transmitting a data block over a network from a ~~first~~ sending node to a ~~first~~ set of recipient nodes, comprising the steps of:  
  
in at least one selected node in the ~~first~~ set of recipient nodes:
  - (a) ~~receiving from the sending node~~ receiving ~~[[the]]~~ a packet ~~having comprising~~ a payload including the data block and a list of assigned nodes;
  - (b) dividing the list of assigned nodes into a subset of selected assigned nodes, selected according to scoring criteria associated with each assigned node, and a subset of unselected assigned nodes;
  - (c) reassigning at least one of the unselected assigned nodes to at least one selected assigned node according to the scoring criteria associated with the respective selected assigned nodes; ~~and~~
  - (d) transmitting to each selected assigned node a reassigned packet ~~having comprising~~ a payload including the data block and a list of the nodes reassigned to the selected assigned node, defining a list of assigned nodes; and

(e) repeating steps (a) through (d) for each selected node until the packet is distributed to the set of recipient nodes.

10. (Original): The method of claim 9, wherein each unselected assigned node is re-assigned to at least one selected assigned node.

11. (Original): The method of claim 9, wherein the at least one selected node includes at least two selected nodes.

12. (Original): The method of claim 9, further comprising, in at least two of the first set of recipient nodes, generating a user discernable output reflecting information in the data block.

13. (Original): The method of claim 9, wherein the scoring criteria for at least one of the nodes on the list of assigned nodes includes the effective bandwidth of that node.

14. (Original): The method of claim 9, wherein the scoring criteria for at least one of the nodes on the list of assigned nodes includes the latency between the assigned node and the selected node.

15. (Original): The method of claim 9, wherein the scoring criteria for at least one of the nodes on the list of assigned nodes includes the amount of time since a packet from the assigned node was received by the selected node.

16. (Original): The method of claim 9 wherein the data block contains audio data.
17. (Original): The method of claim 9, wherein the data block contains video data.
18. (Original): The method of claim 10, wherein each unselected assigned node is re-assigned to only one selected assigned node.